
Algebra Quick Quiz 12172019

Question 1.

The scatter plot below shows the relationship between the number of members in a family and the amount of the family's weekly grocery bill.



The most appropriate prediction of the grocery bill for a family that consists of six members is

- (1) \$100 (3) \$400
- (2) \$300 (4) \$500

Question 2

The function g(x) is defined as $g(x) = -2x^2 + 3x$. The value of g(-3) is

- (1) -27 (3) 27
- (2) -9 (4) 45

Question 3.

Which expression results in a rational number?

(1) $\sqrt{121} - \sqrt{21}$	(3) $\sqrt{36} \div \sqrt{225}$
(2) $\sqrt{25} \cdot \sqrt{50}$	(4) $3\sqrt{5} + 2\sqrt{5}$

Question 4.

The math department needs to buy new textbooks and laptops for the computer science classroom. The textbooks cost \$116.00 each, and the laptops cost \$439.00 each. If the math department has \$6500 to spend and purchases 30 textbooks, how many laptops can they buy?

(1) 6	(3) 11
(2) 7	(4) 12

Question 5.

What is the solution to the equation $\frac{3}{5}\left(x + \frac{4}{3}\right) = 1.04$? (1) $3.0\overline{6}$ (3) $-0.4\overline{8}$ (2) 0.4 (4) $-0.709\overline{3}$

Question 6.

The area of a rectangle is represented by $3x^2 - 10x - 8$. Which expression can also be used to represent the area of the same rectangle?

- (1) (3x + 2)(x 4) (3) (3x + 4)(x 2)
- (2) (3x + 2)(x + 4) (4) (3x 4)(x + 2)


Question 7.


Which relation does not represent a function?

x	1	2	3	4	5	6
у	3.2	4	5.1	6	7.4	8.8

$$y = 3\sqrt{x+1} - 2$$







Question 8.

Britney is solving a quadratic equation. Her first step is shown below.


Problem: $3x^2 - 8 - 10x = 3(2x + 3)$ Step 1: $3x^2 - 10x - 8 = 6x + 9$

Which two properties did Britney use to get to step 1?

- I. addition property of equalityII. commutative property of additionIII. multiplication property of equalityIV. distributive property of multiplication over addition
- (1) I and III (3) II and III
- (2) I and IV (4) II and IV

Question 9.

The graph of $y = \frac{1}{2}x^2 - x - 4$ is shown below. The points A(-2,0), B(0,-4), and C(4,0) lie on this graph.



Which of these points can determine the zeros of the equation $y = \frac{1}{2}x^2 - x - 4$?

- (1) A, only (3) A and C, only
- (2) B, only (4) A, B, and C

Question 10.

Given the parent function $f(x) = x^3$, the function $g(x) = (x - 1)^3 - 2$ is the result of a shift of f(x)

 $(1)\ 1$ unit left and 2 units down

(2) 1 unit left and 2 units up

 $(3)\ 1$ unit right and 2 units down

(4) 1 unit right and 2 units up

Bonus Question

Question 11

You can use your graphing software to check your answer.

Find the zeros of $f(x) = (x - 3)^2 - 49$, algebraically.