### Algebra Quick Quiz 01032020

#### Question 1.

The equation for the volume of a cylinder is  $V = \pi r^2 h$ . The positive value of r, in terms of h and V, is

$$(1) \quad r = \sqrt{\frac{V}{\pi h}}$$

$$(3) \quad r = 2V\pi h$$

(2) 
$$r = \sqrt{V\pi h}$$

$$(4) \quad r = \frac{V}{2\pi}$$

### Question 2

Which equation has the same solutions as  $x^2 + 6x - 7 = 0$ ?

$$(1) (x + 3)^2 = 2$$

$$(3) (x-3)^2 = 16$$

$$(2) (x - 3)^2 = 2$$

$$(4) (x+3)^2 = 16$$

#### Question 3.

Two functions, y = |x - 3| and 3x + 3y = 27, are graphed on the same set of axes. Which statement is true about the solution to the system of equations?

- (1) (3,0) is the solution to the system because it satisfies the equation y = |x 3|.
- (2) (9,0) is the solution to the system because it satisfies the equation 3x + 3y = 27.
- (3) (6,3) is the solution to the system because it satisfies both equations.
- (4) (3,0), (9,0), and (6,3) are the solutions to the system of equations because they all satisfy at least one of the equations.

#### Question 4.

An astronaut drops a rock off the edge of a cliff on the Moon. The distance, d(t), in meters, the rock travels after t seconds can be modeled by the function  $d(t) = 0.8t^2$ . What is the average speed, in meters per second, of the rock between 5 and 10 seconds after it was dropped?

(1) 12

(3) 60

(2) 20

(4) 80

#### Question 5.

When factored completely, the expression  $p^4 - 81$  is equivalent to

- $(1) (p^2 + 9)(p^2 9)$
- $(2) (p^2 9)(p^2 9)$
- $(3) (p^2 + 9)(p + 3)(p 3)$
- (4) (p+3)(p-3)(p+3)(p-3)

#### Question 6.

In 2013, the United States Postal Service charged \$0.46 to mail a letter weighing up to 1 oz. and \$0.20 per ounce for each additional ounce. Which function would determine the cost, in dollars, c(z), of mailing a letter weighing z ounces where z is an integer greater than 1?

$$(1) c(z) = 0.46z + 0.20$$


(1) 
$$c(z) = 0.46z + 0.20$$
 (3)  $c(z) = 0.46(z - 1) + 0.20$ 

$$(2) c(z) = 0.20z + 0.46$$

(2) 
$$c(z) = 0.20z + 0.46$$
 (4)  $c(z) = 0.20(z - 1) + 0.46$ 

### Question 7.

A polynomial function contains the factors x, x-2, and x+5. Which graph(s) below could represent the graph of this function?



(1) I, only

(3) I and III

(2) II, only

(4) I, II, and III

### Question 8.

A function is shown in the table below.

х	f(x)
-4	2
-1	-4
0	-2
3	16

If included in the table, which ordered pair, (-4,1) or (1,-4), would result in a relation that is no longer a function? Explain your answer.

### Question 9.

Subtract  $5x^2 + 2x - 11$  from  $3x^2 + 8x - 7$ . Express the result as a trinomial.

### Question 10.

Solve the equation  $4x^2 - 12x = 7$  algebraically for x.

If you use graphs you will not be given any credit. If you do not show your working you will not be given any credit.

# **Bonus Question**

## Question 11

Graph the solution set of 2x + y > 6.

Graph the solution set of the linear inequality in the coordinate plane by

- selecting the "line" button to graph the line and choosing the line style,
- selecting the "solution set" button to select the desired region.

